

1008140050

TA-5

Bracket for US 2 GANG Double Depth Back Box



Used for flush mounting of all Turbine Compact Stations together with back boxes TA-2 and TA-3

DESCRIPTION


Used for flush mounting of all Turbine Compact Stations together with back boxes TA-2 and TA-3

SPECIFICATIONS

MECHANICAL




Dimensions (HxWxD):	169 x 109 x 10 mm
Weight	0.2 kg

TECHNICAL DIMENSIONS



Threaded 5mm for fastening the station

Parts included in the package

-  M5 x 16mm screw torx head for mounting bracket to the Turbine station (4pcs)
-  UNC 6-32 Panhead torx length $\frac{3}{8}$ inch (20mm) for mounting bracket to the Flush mount backbox TA-2 or TA-3 (4pcs)
-  3,5 x 8mm screw for mounting bracket to panel (4pcs) (Dimension of screw depending of panel material)

USED WITH



1008111010

TCIS-1

IP and SIP Intercom



1008111020

TCIS-2

IP and SIP Intercom

1008111030

TCIS-3

IP and SIP Intercom



1008111040

TCIS-4

IP and SIP Intercom



1008111050

TCIS-5

IP and SIP Intercom



1008111060

TCIS-6

IP and SIP Intercom



1008115020

TCIV-2

Vandal Resistant VoIP Video Intercom

This product has been replaced by

[1008315020 TCIV-2+](#)

DISCONTINUED




1008115030

TCIV-3

IP and SIP Video Intercom

This product has been replaced by
[1008315030 TCIV-3+](#)

DISCONTINUED



1008115060

TCIV-6

IP and SIP Video Intercom

This product has been replaced by
[1008315060 TCIV-6+](#)

DISCONTINUED



1008113020

TCIA-2
Analog over IP Intercom

DISCONTINUED



1008115050

TCIV-5
IP and SIP Video Intercom
This product has been replaced by
[1008315050 TCIV-5+](#)

1008114010

TCAS-1
Analog Intercom



1008114020

TCAS-2

Analog Intercom



1008114030

TCAS-3

Analog Intercom



1008140020

TA-2

US 2-Gang 3½" Deep Backbox



1008140030

TA-3

2½" Deep Flushmount Backbox for Turbine Compact & Mini

